Magurney USS

National Aeronautics and Space Administration Goddard Space Flight Center Contract No.NAS-5-12487

Mi 1/2/66

ST- IM-LPS-10 531

## PRELIMINARY RESULTS OF INVESTIGATION OF SOLID INTERPLANETARY MATTER IN THE VICINITY OF THE MOON

by

T. N. Nazarova A. K. Rybakov G. D. Komissarov

(USSR)

)
0
(Y)
(

GPO PRICE \$	
CFSTI PRICE(S) \$	
Hard copy (HC) /, 0/0	28 OCTOBER 1966
Microfiche (MF)	

## PRELIMINARY RESULTS OF INVESTIGATION OF SOLID INTERPLANETARY MATTER IN THE VICINITY OF THE MOON

Tom 170, No. 3, 578-9, Izdate1\*stvo "NAUKA", 1966

by T. N. Nazarova
A. K. Rybakov
G. D. Komissarov

## SUMMARY

11110

On the basis of a hypothesis brought forth that the increased density of the matter in the vicinity of the Moon may be explained by the fact that the Moon itself is their source, the authors conclude that the instrumentation aboard LUNA -10 must register particles of lunar origin, as well as the meteoric particles, of which the number is small. The conclusion is derived also that the density of the matter in the vicinity of the Moon differs from the average for the interplanetary space by more than 4 orders.

# Author

The investigation of meteor matter on the AMS "LUNA 10" was carried out with the help of piezoelectric sensors sewn on the lining of the probe, and sensitive to meteor particle impacts with masses of  $7 \cdot 10^{-8}\,\mathrm{g}$  and more for a particle velocity of 15 km/sec. The surface sensitive to impacts constituted 1.2 m<sup>2</sup>.

Between 3 April and 12 May 1966, 198 particle impacts were registered for the time of 11 hours and 50 minutes, which constitutes  $4 \cdot 10^{-3}$  impacts per  $1\,\mathrm{m}^2$  per second, and exceeds by 2 orders the average for interplanetary space.

It is well known that in interplanetary space meteor particles are mostly agglomerated in separate clusters of which the extension varies within broad limits; the spatial density of particles in them is irregular and may exceed by 1—2 orders the average value. However, the registration of increased density of particles in the vicinity of the Moon for as prolonged a time as that of LUNA-10 experiment, provides the basis to assume that this condensation has a local character and is related to the Moon.

<sup>\*</sup> PREDVARITEL'NYYE RESUL'TATY ISSLEDOVANIYA TVERDOGO MEZHLANETNOGO VESHCHESTVA V OKRESNOSTI LUNY.

The observations encompassed a region constituting a sheath surrounding the Moon, and having a thickness of about  $650~\rm km$  and distant from the surface of the Moon by  $355~\rm km$ . Only a small part of this sheath, invisible from Earth, constituted an exception.




Fig. 1. Projection on the surface of the Moon of satellite trajectories over which was conducted the registration of particle impacts. The registered particle is marked by black triangles

The registered particles were observed at various heights from 355 to 1050 km, and were mostly agglomerated into clusters of extension from  $\sim 100$  to  $\sim 900$  km whereupon no dependence of spatial density of particles on the distance from the Moon was revealed.

The increased density of matter in the vicinity of the Moon may, in our opinion, be explained by assuming that the Moon itself is the source of particles. During the collision of meteor bodies with the surface of the Moon there takes place an explosion with ejection of a mass of lunar rock, exceeding by many factors the mass of the impacting particle. At the same time, the degree of fragmentation of the ejected matter depends on the composition and the structure of lunar surface. The particles thus ejected have a broad spectrum of velocities with maximum in the region  $v = 1-3 \, \text{km/sec}$ . After the explosion part of the matter returns on the Moon's surface, another part leaves the neighborhood of the Moon and departs into interplanetary space and still another part, under the combined action of the terrestrial and lunar fields of solar pressure, may exist a certain time on orbits around the Moon. The possible number of such particles is still unknown to us, and special computations will be required for their quantitative estimates.

If our hypothesis is correct, the apparatus installed aboard LUNA-10 must register the particles of lunar origin (departing into interplanetary space and those over orbits around the Moon), and also meteor particles, of which the number is small by comparison with lunar particles.

In this case, for most of particles the value of velocity must not be assumed to be 15 km/sec, as is done by us for sporadic meteor particles in the near-Earth space, but within the 1-3 km/sec range mentioned above. Since, as previously, we utilized during the interpretation of data the dependence I  $\sim$  E,

where I is the pulse registered by the sensor, and E is the energy of the particle, in this case the value of the limit registered mass of the particle increases to  $\sim 10^{-6}$  g, and the spatial density of dust matter in the vicinity of the Moon will differ from the average for interplanetary space already by more than 4 orders.

The authors are grateful to academician A.P. Vinogradov for his valuable indications during the preparation of the experiment and the interpretation of the results. Their thanks go also to M.L. Lidov and E.I. Andriankin for their




Fig. 2. Distribution in height of registered particle impacts

participation in the discussion and interpretation of the data, and to  $E.\ V.$  Vasyukova, for her participation in the processing of data.

\*\*\*\* THE END \*\*\*\*

Institute of Ceochemistry and Analytical Chemistry in the name of V. I. Vernadskiy of the USSR Academy of Sciences Received on 28 June 1966

Contract No.NAS-5-12487 VOLT TECHNICAL CORPORATION 1145 19th st. NW Washington, D. C. 20036 Tel: 223-6700 Translated by ANDRE L. BRICHANT

on 27 October 1966

## DISTRIBUTION

GODDA	RD SPACE F.C.	N	ASA HQS	OTHER CENTERS
100	CLARK TOWNSEND	SS	NEWELL NAUGLE	AMES R C
110	STROUD	SG	MITCHELL SMITH	<del></del>
400	BOURDEAU		SCHARDT	SONETT (3)
601	FAVA		GAUGLER	LIBRARY
610	MEREDITH		SCHMERLING	
	SEDDON		ROMAN	LANGLEY R C
611	McDONALD		DUBIN	
	ABRAHAM DAVIS	SL	WILMARTH	116 KATZOFF
	EVANS_WILLIAMSON		BRYSON	160 ADAMSON
	WILLIAMS		MOLLOY	235 SEATON
	KONRADI HOFFMAN		FELLOWS	185 WEATHERWAX
	BOLDT HAGGE		HIPSHER	
	VKB		HOROWITZ	JET PROP. LAB.
	KNIFFEN TEEGARDEN	SM	FOSTER	-
	FICHTEL SERLEMITSOS		GILL	186-133 Sp.Sc (3)
612	HEPPNER	SA	BADGLEY	T-122 LPS (3)
	NESS	RR	KURZWEG	VIS LAB WYCKOFF
613	KUPPERIAN	RV-1	PEARSON	111-113 LIBRARY
	BOGGESS	RTR	NEILL	
	McCRACKEN	USS	NAGURNIY	
	HALLAM KONDO	WX	SWEET	+ all perm. addressees
	DUNKELMAN			
	FOWLER			
64	WHITE			
	FROST			
	WOLFF			
	KASTNER			
615	BAUER			
	AIKIN			
	GOLDBERG			
	HERMAN			
	MAIER			
	STONE			
	CHANDRA			
620	SPENCER			
621	TAYLOR			
630	GI for SS (3)			
640	HESS			
	O•KEEFE			
641	CAMERON			
	MEAD MAEDA			
	NORTHROP			
	BURLEY KELSALL			
	READING RM			
	LOWMAN			
2 52	LIBRARY			
2 56	FREAS			
VOLT	NOLAN			